

# Galactika ureqs to functional specification to tests traceability

Document ID	No Workflow Applied
Official Version	3.0

## Table of contents

- Purpose
- Scope
- Reference
- User Requirements, Functional specifications and traceability to tests
- Conclusion
- Change Control

#### Purpose

To document the User Requirements for the Galactika product, and their coverage by functional specifications and tests.

#### Scope

This report relates to the product version 2.1

### Reference

- 1. Design controls SOP 124456
- 2. Galactika product file 678892



# User Requirements, Functional specifications and traceability to tests

project = fixVer	User requirem = GAL AND issuetyp sion = V1.0 order b	eents (Total: 12) ve = "User requirement" AND y 'Requirement type' ASC	issue i	onal specificatio 20) n linkedissues(\$ke wn to") order by k	ey,"Traces	is linkedis tested b	<b>(Total: 33)</b> sue in sues(\$key,"Is by") order by ey ASC		JQL=mod	<b>Test Ri</b> de = latest, Fix version	<b>uns (Total: 30</b> ns=any, Test en		any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
GAL-7	Data access layer	A database layer which encapsulates all data storage and retrieval	GAL-19	Double V&V for safety	Ready	DXJ-1	test_1 (always passes)	DEVT-124	PASSED	INT			2024-07-1 0 11:58 AM GMT+00:0 0	Rina Nir _RadBee
		image-20231112-10481 3.png				DXJ-2	test_plus_ 2	DEVT-124	PASSED	INT			2024-07-1 0 11:58 AM GMT+00:0 0	Rina Nir _RadBee
						GAL-20	Test Double verificatio n of patient identificat ion	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:05 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-22	Use login with network failures	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-23	End to end use case 1	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee



project : fixVei	= GAL AND issuety	<b>nents (Total: 12)</b> pe = "User requirement" AND by 'Requirement type' ASC	issue ir	nal specification 20) n linkedissues(\$ke vn to") order by ke	v."Traces	is linkediss tested b	(Total: 33) isue in sues(\$key,"Is by") order by ey ASC		JQL=mo	<b>Test Ru</b> de = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en	) vironment=	any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
			GAL-24	Timeout and network recovery mechanism	Ready	GAL-21	Test sunny day user scenario	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-23	End to end use case 1	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-25	Mock test	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-84	Test Timeout and network recovery mechanis m							
GAL-4	Process incoming studies	When studies are delivered by the gateway service they must be indexed to become available on the work list presented to the operators using	GAL-24	Timeout and network recovery mechanism	Ready	GAL-21	Test sunny day user scenario	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee

the E tool.



project = fixVer	GAL AND issuetyp	ents (Total: 12) e = "User requirement" AND y 'Requirement type' ASC	issue ir	onal specification 20) n linkedissues(\$key, vn to") order by key	,"Traces	is linkediss tested b	(Total: 33) sue in sues(\$key,"Is by") order by ey ASC		JQL=moc	<b>Test Ru</b> le = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en	) vironment=	any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
						GAL-23	End to end use case 1	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-25	Mock test	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-84	Test Timeout and network recovery mechanis m							
GAL-8	Handle all data storage interactions		GAL-34	Data storage is the recording (storing) of information (data) in a storage medium.	Ready	GAL-35	Test Data storage is the recording (storing) of informati on (data) in a storage medium.	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee



project = fixVer	= GAL AND issuetyp	ents (Total: 12) e = "User requirement" AND y 'Requirement type' ASC	issue ir	onal specificatio 20) n linkedissues(\$ke wn to") order by k	ey,"Traces	is linkedis tested b	<b>(Total: 33)</b> isue in sues(\$key,"Is by") order by ey ASC		JQL=mod	<b>Test Rı</b> le = latest, Fix versior	I <b>ns (Total: 30</b> Is=any, Test en	) ivironment=	any (latest)	
Key	Summary	Description	Key	Summary	Status	Кеу	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
GAL-5	Interface for SE Clients	Provide an API for the SE client applications	GAL-19	Double V&V for safety	Ready	DXJ-1	test_1 (always passes)	DEVT-124	PASSED	INT			2024-07-1 0 11:58 AM GMT+00:0 0	Rina Nir _RadBee
						DXJ-2	test_plus_ 2	DEVT-124	PASSED	INT			2024-07-1 0 11:58 AM GMT+00:0 0	Rina Nir _RadBee
						GAL-20	Test Double verificatio n of patient identificat ion	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:05 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-22	Use login with network failures	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-23	End to end use case 1	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee



project = fixVer	= GAL AND issuety	<b>nents (Total: 12)</b> pe = "User requirement" AND by 'Requirement type' ASC	issue ir	onal specification 20) n linkedissues(\$key wn to") order by key	,"Traces	is linkediss tested b	(Total: 33) sue in sues(\$key,"Is sy") order by ey ASC		JQL=moo	<b>Test Ru</b> de = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en	) vironment=	any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
			GAL-31	Good API specifications	Ready	GAL-32	Test Good API specificati ons	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
GAL-1	Autopilot expander	The first aircraft autopilot was developed by Sperry Corporation in 1912. The autopilot connected a gyroscopic heading indicator and attitude indicator to hydraulically operated elevators and rudder. (Ailerons were not connected as wing dihedral was counted upon to produce the necessary roll stability.) It permitted the aircraft: 1. to fly straight and level on a compass course without a pilot's attention, greatly reducing the pilot's workload. 2. was fuel efficient	GAL-36	Category which permits pilots to land with a decision height of 300 feet (90 m)	Ready	GAL-37	Test Category which permits pilots to land with a decision height of 300 feet (90 m)	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee



project = fixVers	User requireme GAL AND issuetype ion = V1.0 order by	ents (Total: 12) = "User requirement" AND 'Requirement type' ASC	issue ir	onal specification 20) I linkedissues(\$key vn to") order by key	,"Traces	iss linkediss tested b	<b>Total: 33)</b> sue in ues(\$key,"Is y") order by y ASC		JQL=mod	<b>Test Ru</b> e = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en		any (latest)	
Key	Summary	Description	Кеу	Summary	Status	Кеу	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
GAL-27	Create Widget		GAL-26	A control element (also called a control or widget)	Ready	GAL-37	Test Category which permits pilots to land with a decision height of 300 feet (90 m)	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
GAL-11	Autopilot widget		GAL-43	Date formats are configurable for across the UX	Ready									



project = fixVers	GAL AND issuetyp	eents (Total: 12) ve = "User requirement" AND y 'Requirement type' ASC	issue ir	onal specification 20) n linkedissues(\$key vn to") order by ke	,"Traces	is linkediss tested b	( <b>Total: 33)</b> sue in sues(\$key,"Is y") order by ey ASC		JQL=moo	<b>Test Ru</b> de = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en		any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
GAL-10	Doctor supervision and interactions	An autopilot is a system used to control the trajectory of an aircraft without constant 'hands-on' control by a human	GAL-28	Enforce doctor supervision	ln Develop ment	GAL-32	Test Good API specificati ons	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
		operator being required. Autopilots do not replace human operators, but instead they assist them in controlling the aircraft. This allows them to focus on broader aspects of operations such as monitoring the trajectory, weather and				GAL-37	Test Category which permits pilots to land with a decision height of 300 feet (90 m)	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
		systems.	GAL-38	Autopilot further development into outer space	Ready									



project = fixVer	User requireme GAL AND issuetype sion = V1.0 order by	ents (Total: 12) = "User requirement" AND 'Requirement type' ASC	issue ir	nal specification 20) n linkedissues(\$key vn to") order by key	,"Traces	is linkediss tested b	( <b>Total: 33)</b> sue in sues(\$key,"Is y") order by ey ASC		JQL=mod	<b>Test Ru</b> e = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en		any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
GAL-9	Autopilot launcher	The first aircraft autopilot was developed by Sperry Corporation in 1912. The autopilot connected a gyroscopic heading indicator and attitude	GAL-52	Autopilot launcher engine envelop should not exceed the allowable size	Ready									
		indicator and attitude indicator to hydraulically operated elevators and rudder. (Aileronswere not connected as wing dihedral was counted upon to produce the necessary roll stability.) It permitted the aircraft to fly straight and level on a compass course without a pilot's attention, greatly reducing the pilot's workload.	GAL-53	Encryption method for autopilot launcher shoul comply with P678	Ready	GAL-54	New Test Encryptio n method for autopilot launcher should comply with P678	GAL-88	PASSED		V2.0		2024-04-0 2 02:55 PM GMT+00:0 0	Rina Nir _RadBee
GAL-6	Administrative functions	Account management, audit reports, monitoring etc.	GAL-24	Timeout and network recovery mechanism	Ready	GAL-21	Test sunny day user scenario	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee



projec fixV	User require = GAL AND issuety ersion = V1.0 order	<b>nents (Total: 12)</b> pe = "User requirement" AND by 'Requirement type' ASC	issue ir	onal specification 20) n linkedissues(\$key wn to") order by key	,"Traces	is linkediss tested b	(Total: 33) sue in sues(\$key,"Is by") order by ey ASC		JQL=moo	<b>Test Ru</b> le = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en	) vironment=	any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
						GAL-23	End to end use case 1	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-25	Mock test	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-84	Test Timeout and network recovery mechanis m							
			GAL-34	Data storage is the recording (storing) of information (data) in a storage medium.	Ready	GAL-35	Test Data storage is the recording (storing) of informati on (data) in a storage medium.	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee



project fixVe	= GAL AND issuety	nents (Total: 12) be = "User requirement" AND by 'Requirement type' ASC	issue ir	onal specification 20) n linkedissues(\$key vn to") order by key	,"Traces	is linkediss tested b	(Total: 33) isue in sues(\$key,"Is by") order by ey ASC		JQL=mo	<b>Test Ru</b> de = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en	) wironment=	any (latest)	
Key	Summary	Description	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
			GAL-38	Autopilot further development into outer space	Ready									
			GAL-39	Support initiation sequence for left handed	Ready	GAL-23	End to end use case 1	GAL-74	PASSED	PRP	V1.0 V2.0		2023-08-1 4 02:07 PM GMT+00:0 0	Rina Nir _RadBee
						GAL-40	Test Support initiation sequence for left handed	GAL-65	PASSED	Android-Galaxy	V2.0		2023-01-1 9 07:54 PM GMT+00:0 0	Rina Nir _RadBee
			GAL-41	Clinical trials specific support in the admin panel	Ready	GAL-42	Test Clinical trials specific support in the admin panel	GAL-86	FAILED	Android-Galaxy	V2.0	GAL-87 This is a new bug	2024-04-0 2 02:52 PM GMT+00:0 0	Rina Nir _RadBee
iAL-3	Interface for SE Clients	Provide an API for the SE client applications	GAL-56	SE client login sequence	Ready				1			1	1	1



project = fixVers	User requireme GAL AND issuetype sion = V1.0 order by	e = "User requ	uirement" AND	issue ir	onal specification 20) n linkedissues(\$key vn to") order by key	,"Traces	is linkediss tested b	( <b>Total: 33)</b> sue in sues(\$key,"Is sy") order by ey ASC		JQL=moo	<b>Test Ru</b> de = latest, Fix version	<b>ns (Total: 30</b> s=any, Test en		any (latest)	
Key	Summary	Descripti	on	Key	Summary	Status	Key	Summary	Test Execution Key	Status	Test environments	Versions	Defects	Started On	Executed By
GAL-2	Supported platforms		roid and iOS artphones upported.	GAL-56	SE client login sequence	Ready									
		Platfo rm	Supporte d versions												
		iOS	8.0 to 10.8												
		Androi d	11.0 to 17.0												

### Conclusion

This report demonstrates that all user requirements are traced down to functional specifications and have been tested.

## Change Control

Page ID	Page Title	Version	Version Decription	Version Owner	Version Created	Version Approved	Approvals	
---------	------------	---------	--------------------	---------------	-----------------	------------------	-----------	--